

Techno Machines India

Professional Manufacturer of wire and Cable Printing Consumable













Printing Machines

High Speed Machine (HM-100)

Selection of outer diameter: 86-100

Printing Speed: 0-300 m/min.

Weight: 46 Kg

Dimenssion: 1100 X 400 X400 **Features:** Economical, Practical

Second Generation High Speed Machine (HM-100)

Selection of outer diameter: 86-100

Printing Speed: 0-600 m/min.

Weight: 70 Kg

Dimenssion: 1100 X 400 X400

Features: German Made Stainless Steel, Easy to Clean, Environment friendly, Stable, Durable.

Transfer Machine (LM-100)
Style: Neumatic, Manual

Adaption to the outer diameter: 100

Printing Speed: 0-300 m/min.

Weight: 46 Kg

Dimenssion: 1100 X 400 X400

Features: Suitable for Network lines, Data lines and

other uneven surface.

The Embossing Machine (LM-120)
Adaption to the outer diameter: 100

Printing Speed: 0-300 m/min.

Weight: 46 Kg

Dimenssion: 1100 X 400 X400

Features: Directly pressing the wire surface, Simple

and practical

Embossed Four Sided Printing Machine (HM-S401)

Printing Speed: 0-300 m/min.

Weight: 50 Kg

Dimenssion: 1100 X 400 X400

Features: Can embossed four side, Spiral Embossed,

Fast and Efficient





Ink Printing Wheel

Outer Diameter Specification: 80/86/100/120/160/320

Material: Ming and Steel / Full Steel

Uses: Wire Ink edge word **Note:** Other Specification can

be customized by customer requirements

Concave Ink PrintingWheel

Outer Diameter Specification: 80/86/100

Material: All Steel / All Copper Thickness Degree: 3.2 / 4.0 / 5.0

Use Limitation: Small Line Printing Character





Convex Wheel

Outer Diameter Specification: 40-320 (Customizable)

Material: Aluminum Sets, Steel, Copper, Aluminum, Stainless Steel.

Working Art: Engraved word and convex word or Hollow

Curved Surface Process: Concave Concave, Concave Convex,

Convex Concave, Convex Convex

Uses: Hot pressing Characters on wire and cables, Environmental Protection and Long Service life.

Full Aluminum Concave concave word without side





Belted All Aluminum All Copper Concave Surface

Embossing Wheel

Outer Diameter Specification: 40/80/86/100/120

Material: All (Copper, Aluminuam, Steel, Aluminum Sleeve)

Working Art: Divided engraver and E-Printing

Wheel Preparation Surface: There is flat and Arc Surface

Uses: Hot pressing Various Patterns and logos on wire Cable or leather

Note: Floral Pattern and Specification can be customizable







Large Diameter Aluminum Concave Concave Words

Printing Pressure Wheel

Specification: 40/65/100

Material: Plug Steel / Copper / Wood Wordking

Features: Different material have different features





Outer Diameter Specification: $40 \times 20 \times 2.5$ **Concourse Blade:** 20 x 2.5 x 3.2 /20 x 2.5 x 4.0

Material: Imported Plastics

User Layer: Wire and Electricity Printing Blade

Wire & Cable Printing Special Ink

There are mainly PVC and PEE Wire and cable printing ink. The ink has good adhesion and the indicators meet the latest requirements of international environmental protection. It is an environmental friendly

Product. Environmental testing is conducted once a year.



PVC Solvent, PE Halogen free Specification: 15/grid

User: For the wire and Cable

Printing Ink.



E Printing Ink

Color: Black, White, Red, Blue, Yellow,

green, Gold, Silver 5/grid

Specification: For the electrical wire

and Steel





TECHNO 🔀 Techno Machines India

MACHINES H-244, Sector-2, DSIIDC, Bawana Industrial Area, New Delhi- 110039 Contact Details: +91-9716003530

> Email: info@technomachinesindia.in, technomachinesindia@gmail.com Website: www.technomachinesindia.in, www.indiamart.com/techno-machinesindia Facebook: @ technomachines, Twitter: @Techno Machine, YouTube: @technoindia1